

Recommended native plant list for the Springton area- REVISED

This list is more accurate for the Springton – Jutland Road grassy woodland sites, removes a few plants 'too small to plant' at this stage, and includes a few new options for grassy ecosystems.

Modified from the original TFL Central Hills Species List by Ann Prescott and Sonia Croft (botanist assisting Ann Prescott in Springton project) based on the species lists for 10 properties in the very near vicinity (2-3 km).

| Suitable Trees, shrubs, grasses and 'wildflowers' from TFL Central Hills List | | | |
|--|---------------------------------|-------------|---|
| Scientific name | Common name | form | Suggested use |
| <i>Arthropodium strictum</i> | Vanilla (chocolate) lily | Bulb | Close mass plantings, scattered in areas with good intertussock spaces |
| <i>Acacia pycnantha</i> | Golden wattle | shrub | Use in scattered clumps away away from existing trees and rocky outcrops (where they may come up naturally) |
| <i>Acacia retinodes</i> | Swamp wattle (Wirilda) | Small tree | Use in clumps away from existing trees and rocky outcrops (where they may come up naturally) |
| <i>Allocasuarina verticillata</i> | Drooping sheoak | Small tree | Scattered groves of 10-20 trees |
| <i>Bursaria spinosa ssp lasiophylla</i> | Downy Bursaria / Christmas bush | shrub | Must use the local subspecies which is a rare eastern hills subspecies. Scattered groves of 10-20 trees |
| <i>Callitris gracilis</i> | Native pine | tree | In moderation in clumps in sandy soils |
| <i>Dodonaea viscosa ssp. spatulata</i> | Sticky hop bush | shrub | In rocky areas only |
| <i>Eucalyptus camaldulensis</i> | Red Gum | tree | Use sparsely well away from existing trees. Plant 10-20m apart and <i>only in the areas where the existing tree zone is Red Gum</i> |
| <i>Eucalyptus leucoxylon ssp pruinosa</i> | SA Blue Gum | tree | Must use the local subspecies well away from existing trees. Plant 10-20m apart and <i>only in the areas where the existing tree zone is SA Blue Gum</i> |
| <i>Hardenbergia violacea</i> | Native lilac | scrambler | Close mass plantings, scattered in areas with good intertussock spaces |
| <i>Kennedia prostrata</i> | Running postman | scrambler | Close mass plantings, scattered in areas with good intertussock spaces |
| <i>Vittadinia gracilis</i> | New Holland daisy | Small shrub | Close mass plantings, scattered in areas with good intertussock spaces |
| | | | |

WINDBREAKS – use the trees, small tree and shrubs in close plantings

VISUAL / SIGHT SCREENINGS– use the trees, small tree and shrubs in close plantings

| Suitable plants from which to collect seeds and grow own – or contract out | | | |
|---|------------------------------------|----------------------------|--|
| Scientific name | Common name | form | |
| <i>Acacia pycnantha</i> | Golden wattle | Small tree | As above |
| <i>Acacia retinodes</i> | Swamp wattle (Wirilda) | Small tree | As above |
| <i>Allocasuarina verticillata</i> | Drooping sheoak | Small tree | As above |
| <i>Bursaria spinosa ssp lasiophylla</i> | Downy Bursaria / Christmas bush | shrub | As above |
| <i>Callitris gracilis</i> | Native pine | tree | Sandy soil only |
| <i>Cassinia laevis</i> | Curry bush | shrub | Scattered groves of 10-20 bushes |
| <i>Cullen australasicum</i> | | | Close mass plantings, scattered in areas with good intertussock spaces |
| <i>Dianella longifolia</i> | Pale flax lily | 'grass-like' wildflower | Good heavy soil only |
| <i>Dianella revoluta var. revoluta</i> | Black anther flax lily | 'grass-like' wildflower | Scattered groves of 10-20 plants |
| <i>Dodonaea viscosa ssp. spatulata</i> | Sticky hop bush | shrub | As above |
| <i>Eucalyptus camaldulensis</i> | Red Gum | tree | As above |
| <i>Eucalyptus leucoxydon ssp pruinosa</i> | SA Blue Gum | tree | As above |
| <i>Glycine clandestina (now G. rubiginosa)</i> | Twining glycine | scrambler | Close mass plantings, scattered in areas with good intertussock spaces |
| <i>Gonocarpus elatus</i> | Hill Raspwort | Small shrub | Close mass plantings, scattered in areas with good intertussock spaces |
| <i>Hardenbergia violacea</i> | Native lilac | scrambler | As above |
| <i>Hymenanthera dentata</i> | Tree violet | shrub | |
| <i>Kennedia prostrata</i> | Running postman | scrambler | Close mass plantings, scattered in areas with good intertussock spaces |
| <i>Pittosporum phylliraeoides (P. angustifolium)</i> | Native apricot | Small tree | Scattered groves of 10-20 trees |
| <i>Senecio odoratus var. odoratus</i> | Scented Groundsel | Small shrub | Rocky outcrops and rocky slopes only |
| <i>Scaevola albida</i> | Fanflower | Scrambler/ mat | Close mass plantings, scattered in areas with good intertussock spaces |
| <i>Vittadinia gracilis</i> | New Holland daisy | Small shrub | Close mass plantings, scattered in areas with good intertussock spaces |

Can **collect seed from any native grass on the property** – the list below includes relatively common species in the district. Make sure you do not collect weeds such as Pentaschistis, Phalaris or Perennial Veldt Grass

| Grasses -Scientific name | Common name | | |
|-----------------------------------|----------------------|-------|--|
| <i>Aristida behriana</i> | Brush wire grass | grass | |
| <i>Austrodanthonia caespitosa</i> | Common wallaby grass | grass | |
| <i>Austrostipa mollis</i> | Soft Spear grass | grass | |
| <i>Austrostipa nodosa</i> | Spear grass | grass | |

| | | | |
|--------------------------------------|--------------------|--------------|---------------|
| <i>Austrostipa scabra</i> | Spear grass | grass | |
| <i>Chloris truncata</i> | Windmill grass | grass | |
| <i>Cymbopogon obtectus</i> | Lemon Grass | grass | |
| <i>Cyperus gunnii</i> | Flecked flat sedge | Sedge / rush | Near/in creek |
| <i>Cyperus gymnocaulos</i> | Spiny Flat-sedge | Sedge / rush | Near/in creek |
| <i>Cyperus vaginatus</i> | Stiff Flat-sedge | Sedge / rush | Near/in creek |
| <i>Elymus scaber var. scaber</i> | Tall wheat grass | grass | |
| <i>Enneapogon nigricans</i> | Black heads | grass | |
| <i>Juncus subsecundus</i> | Finger Rush | Sedge / rush | |
| <i>Lomandra densiflora</i> | Soft Mat-rush | Grass-like | |
| <i>Lomandra multiflora ssp. dura</i> | Hard Mat-rush | Grass-like | |
| <i>Panicum effusum var. effusum</i> | Hairy Panic | grass | |
| <i>Setaria constricta</i> | | grass | |
| <i>Themeda triandra</i> | Kangaroo grass | grass | |